

TABLE OF CONTENT

TABLE OF CONTENT	i
LIST OF TABLES	vi
LIST OF FIGURES	ix
LIST OF PLATES	xi
LIST OF APPENDIXES	xiii

EXECUTIVE SUMMARY

RINGKASAN EKSEKUTIF

CHAPTER 1: INTRODUCTION

1.1 TITLE OF PROJECT.....	1-1
1.1.1 Project Organization Chart.....	1-2
1.2 PROJECT PROPOSER, PROJECT DEVELOPER AND ENVIRONMENTAL CONSULTANT.....	1-3
1.3 PROJECT LOCATION.....	1-4
1.3.1 Access Road and Existing Log Yard.....	1-7
1.4 MAIN ACTIVITIES OF THE FOREST PLANTATION	1-12
1.5 PROJECT PROPOSER AND QUALIFIED PERSON	1-13
1.6 LEGAL ASPECTS	1-18
1.6.1 Section 34A, Environmental Quality Act, 1974	1-18
1.6.2 Conformance of the Project to Government's Development Plans	1-19

CHAPTER 2: TERMS OF REFERENCE

2.1 TITLE AND NATURE OF THE PROJECT.....	2-1
2.2 PRESENCE OF SENSITIVE RECEPTORS.....	2-1
2.3 SIGNIFICANT IMPACTS DUE TO THE PROJECT OR ACTIVITY IDENTIFIED	2-3
2.4 SOCIAL ISSUES	2-4
2.5 SPECIAL REQUIREMENTS FOR THE EIA.....	2-4

CHAPTER 3: STATEMENT OF NEEDS

3.1 STATEMENT OF NEEDS.....	3-1
3.2 WOOD BASED INDUSTRY (Industri Berasas Kayu (IBK)).....	3-7
3.3 PARASERIANTHES FALCATORIA (BATAI) INDUSTRY IN MALAYSIA	3-8
3.4 PARASERIANTHES FALCATORIA (BATAI) MARKET IN MALAYSIA	3-11

CHAPTER 4: PROJECT OPTIONS

4.1 PROJECT OPTIONS.....	4-1
4.1.1 Built Option	4-1

4.1.2 No Project Option	4-2
-------------------------------	-----

CHAPTER 5: PROJECT DESCRIPTION

5.1 PROJECT DESCRIPTION.....	5-1
5.1.1 Size and Capacity.....	5-1
5.1.2 Land Requirements	5-1
5.1.3 Planting Materials.....	5-1
5.1.4 Energy Source and Consumption.....	5-5
5.1.5 Water Source and Consumption.....	5-5
5.1.6 Labor Requirement	5-5
5.1.7 Transportation	5-6
5.1.8 Support Facilities.....	5-7
5.1.9 Market.....	5-12
5.2 SUMMARY OF TECHNICAL, ECONOMIC AND ENVIRONMENTAL FEATURES.....	5-13
5.2.1 Technical Features	5-13
5.2.2 Economic Features.....	5-13
5.2.3 Environmental Features.....	5-13
5.3 IMPLEMENTATION SCHEDULE	5-14
5.4 FOREST PLANTATION DEVELOPMENT ACTIVITIES	5-17
5.4.1 Pre-development Stage	5-17
5.4.2 During Development Stage	5-19
5.4.3 Operation and Maintenance Stage	5-39
5.4.4 Abandonment and Replanting	5-49

CHAPTER 6: EXISTING ENVIRONMENT

6.1 INTRODUCTION.....	6-1
6.2 ZONE OF STUDY	6-1
6.3 PHYSICO-CHEMICAL STUDY	6-3
6.3.1 Land Use.....	6-3
6.3.2 Topography	6-8
6.3.3 Geology & Mineral	6-13
6.3.4 Soil.....	6-15
6.3.5 Hydrology	6-21
6.3.6 Meteorological Conditions.....	6-24
6.3.7 Ambient Air Quality.....	6-27
6.3.8 Ambient Noise.....	6-30
6.3.9 Water Quality	6-32
6.4 BIOLOGICAL STUDY	6-44
6.4.1 Fauna.....	6-44
6.4.2 Flora	6-71
6.5 SOCIO-ECONOMIC STUDY	6-88
6.5.1 Background of Study Area.....	6-88
6.5.2 Community Profile of the Study Area	6-91
6.5.3 Orang Asli Community	6-95
6.5.4 Recreation Activity	6-97
6.5.5 Facilities and Amenities	6-99

6.5.6 Awareness and Perception	6-103
6.5.7 Perception of Potential Positive and Negative Environmental and Social Impacts.....	6-105

CHAPTER 7: EVALUATION OF IMPACTS

7.1 IDENTIFICATION AND PREDICTION OF IMPACTS	7-1
7.1.1 Introduction	7-1
7.1.2 Basis of Assessment	7-2
7.1.3 Zone of Impact	7-4
7.1.4 Nature of the Environmental Effects	7-6
7.1.5 Sources of the Impacts.....	7-7
7.2 DETAILED EXAMINATION OF IMPACTS	7-8
7.2.1 Potential Impacts during Project Development.....	7-8
7.2.2 Potential Impacts during Operation	7-75
7.3 PROJECT ABANDONMENT AND REHABILITATION	7-79

CHAPTER 8: MITIGATION MEASURES

8.1 MITIGATION AND ABATEMENT MEASURES.....	8-1
8.1.1 Adherence to DOE Guidelines.....	8-1
8.1.2 Proposed Mitigation Measures.....	8-1
8.2 POLLUTION PREVENTION AND MITIGATION MEASURES (P2M2s)	8-4
8.2.1 LD-P2M2 Principles	8-5
8.2.2 Site Maintenance	8-28
8.2.3 Best Management Practices (BMPs)	8-30
8.2.4 Self-regulation via the Establishment of Environmental Performance Monitoring Committee (EPMC) and Performance Monitoring Documentation	8-31
8.3 WASTE MANAGEMENT	8-32
8.4 WATER POLLUTION	8-36
8.5 AIR POLLUTION	8-42
8.6 NOISE POLLUTION	8-44
8.7 FLORA AND FAUNA	8-45
8.8 SOCIO-ECONOMY.....	8-51
8.9 MITIGATION MEASURES DURING OPERATION PHASE	8-54
8.9.1 Soil Erosion.....	8-54
8.9.2 Water Pollution	8-55
8.9.3 Waste Management (Sewage).....	8-56
8.9.4 Air Quality and Noise	8-57
8.9.5 Flora and Fauna.....	8-58
8.10 PROJECT ABANDONMENT & REHABILITATION	8-59

CHAPTER 9: ENVIRONMENTAL MANAGEMENT PLAN (EMP)

9.1 INTRODUCTION	9-1
9.2 MAINSTREAMING OF ENVIRONMENTAL AGENDA AND SELF REGULATION CULTURE	9-4
9.2.1 General Considerations.....	9-4
9.2.2 Roles and Core Duties of Different Players.....	9-6

9.3 RELATED COMPLIANCE MONITORING (CM)	9-11
9.3.1 Water Quality.....	9-11
9.3.2 Air Quality	9-13
9.3.3 Ambient Noise.....	9-14
9.3.4 Solid Wastes.....	9-15
9.3.5 Scheduled Wastes Management	9-15
9.4 PERFORMANCE MONITORING (PM) PROGRAM	9-16
9.4.1 Air Quality Monitoring	9-17
9.4.2 Water Quality Monitoring.....	9-18
9.4.3 Noise Level Monitoring	9-19
9.5 ENVIRONMENTAL AUDIT PROGRAM	9-20
9.6 REMEDIAL ACTION	9-21
9.6.1 EMP during Development Phase	9-21
9.6.2 EMP during Operational Phase	9-27
9.7 WILD BOAR STRATEGY PROGRAM	9-28
9.8 TAPIR AND SUN BEAR MITIGATION STRATEGY PROGRAM.....	9-29
9.9 FIRE FORTIFICATION PLAN	9-30
9.10 EMERGENCY RESPONSE PLAN (ERP)	9-33
9.10.1 Objectives of ERP	9-34
9.10.2 Basis for Emergency Response Plan.....	9-35
9.10.3 ERP for the Proposed Project.....	9-37
9.10.4 General Responsibilities of On-Scene Commander (OSC) and ERT	9-40

CHAPTER 10: STUDY FINDINGS

10.1 INTRODUCTION	10-1
10.2 PRINCIPAL FINDINGS.....	10-1
10.3 PRINCIPAL RECOMMENDATIONS.....	10-3
10.4 CONCLUSION.....	10-5

LIST OF TABLES

		Page
Table 1.3.1	Coordinate Point of the Project Site	1-4
Table 1.5.1(a)	List of Registered Environmental Consultants	1-14
Table 1.5.1(b)	List of Registered Environmental Assistant Consultants	1-16
Table 1.5.1(c)	List of EIA Study Supporting Team	1-17
Table 1.6.1	Forest Classification under Provisions of the National Forestry Act, 1984	1-20
Table 2.3.1	Significant Impacts	2-3
Table 3.3.1	Beneficial of <i>Paraserianthes falcata</i> Plantation	3-10
Table 3.3.2	Beneficial of Product from <i>Paraserianthes falcata</i>	3-10
Table 5.1.1	Recommended Tree Species	5-2
Table 5.1.2	List and Units of Vehicles/Machineries Used for Each Development Activities	5-7
Table 5.1.3	Technical Factors for Selection of an Appropriate Nursery	5-9
Table 5.3.1	Area of Phase Development	5-14
Table 5.3.2	Development Schedule for the Project	5-16
Table 5.4.1	Specification and Justification of Drains	5-28
Table 5.4.2	Proposed Unit of Bridge/Culvert for the Project Site	5-31
Table 5.4.3	Planting Distance	5-35
Table 5.4.4	Hole Planting Measurement for Seedling	5-35
Table 5.4.5	Development Area of the Project Site	5-37
Table 5.4.6	Chemical Control of Tree Diseases	5-44
Table 5.4.7	Pest of Tree and Their Control	5-45
Table 5.4.8	Field Fertilizer Application Program	5-49
Table 6.3.1	Land Use of the Project Site	6-5
Table 6.3.2	The Settlement Areas with the Approximate Distance at the Project Site	6-7
Table 6.3.3	Percentage of Slope within the Project Site	6-11
Table 6.3.4	The Soil Types and their Extent	6-15
Table 6.3.5	Soil Series Morphology Properties	6-15
Table 6.3.6	Classification of Soil Loss	6-18
Table 6.3.7	Estimation of Soil Loss in Phase by Phase Development (Existing Condition)	6-18
Table 6.3.8	Estimation of Potential Sediment Yield for Existing Conditions	6-20
Table 6.3.9	The Peak Flow for the Tributaries of Sungai Gesau	6-22
Table 6.3.10	Percentage Frequency and Mean Velocity of Winds from Various Directions	6-26
Table 6.3.11	Ambient Air Quality Results for All Sampling Stations	6-27
Table 6.3.12	Ambient Noise Levels for All Sampling Stations	6-31
Table 6.3.13	Location of Water Quality Sampling Stations	6-32
Table 6.3.14	Water Quality Within and Outside the Project Site	6-36
Table 6.3.15	NPK Content in the Water Sampling Stations	6-38
Table 6.3.16	Best-Fit Equations for the Estimation of the Sub-Indices Values	6-40
Table 6.3.17	Water Quality Classification Based on Water Quality Index	6-40

Table 6.3.18	Water Quality Index and its Status	6-40
Table 6.3.19	Water Quality Index	6-41
Table 6.3.20	Location of Water Intake Point	6-42
Table 6.4.1	List of avian recorded at the proposed project sites based on family.	6-54
Table 6.4.2	List of mammals recorded in the proposed project site based on family.	6-62
Table 6.4.3	List of herpetofauna's (amphibians and reptiles) species recorded in the proposed project site base on family.	6-67
Table 6.4.4	List of faunas recorded	6-69
Table 6.4.5	Details of survey in every sub-plots.	6-74
Table 6.4.6	Explanation on the plant habit according to life form and structure of the plant.	6-75
Table 6.4.7	IUCN Red list code for plants.	6-75
Table 6.4.8	Ten dominant family at the proposed project site.	6-76
Table 6.4.9	List of species composition in the proposed project site.	6-78
Table 6.4.10	Flora Species Recorded Within Proposed Project Site	6-86
Table 6.5.1	Total Population in Mukim Slim 2010	6-90
Table 6.5.2	Population Age Distribution in Mukim Slim 2010	6-90
Table 6.5.3	Ethnic Composition of Mukim Slim 2010	6-90
Table 6.5.4	Settlement located in 5km radius from proposed project	6-91
Table 6.5.5	Facilities and Amenities in the Study Area	6-99
Table 6.5.6	Existing Environment Condition	6-103
Table 6.5.7	Potential Positive and Negative Environmental and Social Impacts during construction and operation phase	6-105
Table 7.1.1	Basis Assessment Matrix	7-3
Table 7.2.1	Estimation of Soil Loss in Phase by Phase Development (With Mitigation, Zero Mitigation, Operation and Worst Case)	7-10
Table 7.2.2	Estimation of Total Sediment Yield for All Soil Series	7-16
Table 7.2.3	The Type of Scheduled Waste Usually Found at Project Area	7-18
Table 7.2.4	River length and Point Source	7-23
Table 7.2.5	Estimation of TSS Discharge	7-24
Table 7.2.6	Estimation of Turbidity from the generation of TSS	7-25
Table 7.2.7	IDF Curves Coefficients for Various Stations Within the State of Perak	7-45
Table 7.2.8	Low Flow for station Sg Slim at Slim River (3814416)	7-47
Table 7.2.9	Estimated Mean Annual Minimum Flow	7-48
Table 7.2.10	Estimated $Q_{7,10}$ for Sg Slim at Slim river	7-49
Table 7.2.11	Low Flow Estimation Based on Regional Analysis	7-49
Table 7.2.12	Characteristics of Sg. Gesau Catchment Area	7-50
Table 7.2.13	Estimated tc values	7-51
Table 7.2.14	IDF Coefficient for Stor JPS Teluk Intan	7-52
Table 7.2.15	Rainfall intensity used in the study for Various ARI's	7-52
Table 7.2.16	Rainfall Depth used in the study for Various ARI's	7-52
Table 7.2.17	Region 3 Temporal Patterns – Perak, Kedah, Pulau Pinang and Perlis	7-53
Table 7.2.18	Temporal Pattern for Design Storm of 60 Minute	7-54
Table 7.2.19	Tc and R during pre and post project development	7-55

Table 7.2.20	Comparison of estimated flow using Time-Area Method with Rational Method (10 Year ARI)	7-55
Table 7.2.21	Preliminary Estimation of storage volume Based on 10 Year ARI	7-56
Table 7.2.22	Proposed Design of Storage Volume	7-57
Table 7.2.23	Pre and Post-Development Flows with and without Ponds	7-57
Table 7.2.24	Peak Flow Reduction	7-58
Table 7.2.25	Equipment Noise Emission Levels	7-68
Table 8.1.1	General BMP's Category and Objectives	8-3
Table 8.2.1	Riparian Buffer Zone	8-10
Table 8.2.2	Sizing of Temporary Earth Drain	8-21
Table 8.2.3	Sediment Control Facilities	8-23
Table 8.2.4	Number of Best Management Practices (BMPs)	8-31
Table 8.5.1	Best Management Practices for Control of Fugitive Dust	8-43
Table 9.3.1	NWQS for Some Parameters Concern	9-12
Table 9.3.2	Water Classes and its Uses	9-12
Table 9.3.3	Recommended Malaysian Air Quality Guidelines 2013	9-13
Table 9.3.4	The Planning Guidelines for Environmental Noise Limits and Control (Schedule 1: Maximum Permissible Sound Level (L_{Aeq}) by Receiving Land Use for Planning and New Development)	9-14
Table 9.9.1	Signage and Example of Watch Tower for Fire Fortification Plan	9-31
Table 9.10.1	Internal and External Emergency Phone List	9-38

LIST OF FIGURES

	Page	
Figure 1.1.1	Project Organization Chart	1-2
Figure 1.3.1	Map of Location Plan of the Project Site	1-6
Figure 1.3.2	Map of Access Road of the Project Site	1-10
Figure 1.3.3	Location of Existing Log Yard	1-11
Figure 1.4.1	Forest Plantation Activities	1-12
Figure 1.6.1	Forests Reserves Classification (Perak State)	1-21
Figure 1.6.2	Forests as Ecological Connections with CFS	1-23
Figure 2.2.1	Sensitive Receptors Map	2-2
Figure 3.1.1	Area Licensed for Harvesting 2017	3-2
Figure 3.1.2	Production of Selected Timber Products	3-3
Figure 3.1.3	AAC of Perak Forest Reserves	3-3
Figure 3.1.4	Percentage of Timber Production of Permanent Forest Reserve in Malaysia	3-4
Figure 3.1.5	Major Forest Countries of Highest Percentage Forest Loss in Year 2000 to 2012	3-5
Figure 3.2.1	Wood Based Industry by Perak District Forest	3-7
Figure 3.2.2	Usage of Logs and Timber	3-8
Figure 3.4.1	Major Export of Timber Products (Jan – Oct 2019)	3-12
Figure 3.4.2	Export of Plywood by Destination (Jan – Oct 2019)	3-12
Figure 5.1.1	Layout Plan for the Project Site	5-8
Figure 5.3.1	Phase Development of the Project Site	5-15
Figure 5.4.1	Cross Section of Logging Track	5-22
Figure 5.4.1	Existing Log Yard	5-25
Figure 5.4.2	Installation of Temporary Bridge	5-29
Figure 5.4.3	Cross Sectional of Culvert	5-30
Figure 5.4.4	Ditch for Human-Wildlife Conflict Prevention	5-32
Figure 5.4.5	Developed and Undeveloped Area	5-38
Figure 6.2.1	Zone of Study within 5-km radius of the Project site	6-2
Figure 6.3.1	Existing Land Use of the Project Site	6-4
Figure 6.3.2	Topography Area of the Project Site	6-9
Figure 6.3.3	Elevation Range of the Project Site	6-10
Figure 6.3.4	Slope Analysis of the Project Site	6-12
Figure 6.3.5	Geology and Mineral Map of the Project Site	6-14
Figure 6.3.6	Soil Map of the Project Site	6-16
Figure 6.3.7	Soil Erosion Risk Map (Existing Condition)	6-19
Figure 6.3.8	Catchment Map at the Project Site	6-23
Figure 6.3.9	Annual Rainfall at Felda Sungai Behrang Station (2010-2019)	6-24
Figure 6.3.10	Annual Mean Temperature at Felda Sungai Behrang Station for Ten Years (2010-2019)	6-25
Figure 6.3.11	Ten Years Monthly Average Relative Humidity at Felda Sungai Behrang Station	6-25
Figure 6.3.12	Wind Rose Summary of Subang Station (2010-2019)	6-26
Figure 6.3.13	Locations of Air Quality, Noise Level & Water Quality Monitoring Stations	6-29
Figure 6.3.14	Location of Water Intake Point	6-43
Figure 6.4.1	The view of existing vegetated primary forest areas in the proposed project site A) emergence tree, and B) secondary vegetation.	6-44
Figure 6.4.2	The Flora and Fauna Point in the Project Site	6-47

Figure 6.4.3	Direct observation method via binocular and digital single-lens reflex camera.	6-45
Figure 6.4.4	The application of passive camera trapping method focally to detect the presence of terrestrial vertebrates at the proposed project site.	6-46
Figure 6.4.5	The hierarchy of IUCN Red List Categories.	6-49
Figure 6.4.6	Arrangement of the inventory plots.	6-72
Figure 6.4.7	Detail of the main inventory plot.	6-73
Figure 6.4.8	Ten highest tree species recorded in the proposed project site.	6-77
Figure 6.5.1	Socio Economy Study Area for Project Site	6-89
Figure 6.5.2	Age Structure of the Respondents in the Study Area	6-92
Figure 6.5.3	Educational Level in the Study Area	6-92
Figure 6.5.4	Family Size	6-93
Figure 6.5.5	Employment	6-94
Figure 6.5.6	Household Income of the respondents	6-94
Figure 6.5.7	Kawasan Rizab Orang Asli	6-96
Figure 6.5.8	Water intake Kampung Orang Asli	6-98
Figure 6.5.9	Percentage of Acceptance	6-104
Figure 7.1.1	Zone of Impacts	7-5
Figure 7.2.1	Soil Erosion Risk Map (With Mitigation Measures)	7-11
Figure 7.2.2	Soil Erosion Risk Map (Zero Cost Mitigation Measures)	7-12
Figure 7.2.3	Soil Erosion Risk Map (Operation Phase)	7-13
Figure 7.2.4	Soil Erosion Risk Map (Worst Case Scenario)	7-14
Figure 7.2.5	Water Pollution Impacts	7-19
Figure 7.2.6 (a)	Schematic Flow	7-26
Figure 7.2.6 (b)	Schematic Flow	7-27
Figure 7.2.7	TSS Profile of Sg Gesau	7-28
Figure 7.2.8	TSS Profile of Sg Slim	7-29
Figure 7.2.9	Turbidity Profile of Sg Gesau	7-31
Figure 7.2.10	Turbidity Profile of Sg Slim	7-32
Figure 7.2.11	Summary of TSS Profile	7-33
Figure 7.2.12	Summary of Turbidity Profile	7-34
Figure 7.2.13	Representations of Catchment Characteristics in HEC-HMS	7-50
Figure 7.2.14	River Cross Section downstream of the Proposed Project Site	7-59
Figure 7.2.15	Framework of Flood Modelling in HEC-GEORAS, Info work (2000)	7-61
Figure 7.2.16	Schematic representation of Sg. Gesau in HEC-RAS	7-63
Figure 7.2.17	Perspective Plot XYZ of Sungai Gesau	7-64
Figure 7.2.18	Water Level Based on Existing Condition – Surface Profile (100 Year ARI)	7-65
Figure 7.2.19	Water Level Based on Existing Condition – Perspective Plot (100 Year ARI)	7-65
Figure 7.2.20	Examples of open burning involving projects converting forests into plantations etc. which may also destroy remaining forests and habitats in the surroundings.	7-72
Figure 8.1.1	LD-P2M2 Principles	8-2
Figure 8.2.1	Illustration of Brush Barrier BMPs use for Runoff/Sediment Control	8-12
Figure 8.2.2	Road construction grading patterns used to control surface drainage	8-18
Figure 8.2.3	Road construction grading patterns used to control surface drainage	8-19
Figure 8.2.4	Typical of Earth Drain	8-21
Figure 8.3.1	Safe Handling of Pesticide Containers	8-35
Figure 8.3.2	Example of Label for Scheduled Wastes Container	8-35
Figure 8.4.1	The Design of Skid Tank	8-41
Figure 8.7.1	Ditch for Human-Wildlife Conflict Prevention	8-49

Figure 8.7.2	Example of No Hunting Sign	8-51
Figure 8.9.1	Example of Appropriate Protective Gears during Spraying Activities	8-57
Figure 9.4.1	Water Quality Monitoring Program	9-19
Figure 9.6.1	Eight Elements of EMP during Development Phase	9-21
Figure 9.6.2	Example of Proper Labeling of Scheduled Waste	9-26
Figure 9.9.1	Fire Emergency Response Flow Chart	9-33
Figure 9.10.1	Six Elements of Emergency Response Plan	9-35
Figure 9.10.2	Categories of Emergencies in Project Facility Area	9-39

LIST OF PLATES

		Page
Plate 1.3.1	The View of the Project Site	1-5
Plate 1.3.2	Jalan Slim River – Tg. Malim	1-8
Plate 1.3.3	Jalan Ulu Slim	1-8
Plate 1.3.4	Existing unpaved logging road (Yellow line)	1-8
Plate 1.3.5	Bridge to be constructed crossing Sg Slim	1-9
Plate 1.3.6	Photo of the meeting between Dato Wei Chuan Beng (PP) and Tok Batin Syani (Kg Orang Asli Pos Bersih)	1-9
Plate 5.1.1	Example of Transportation of Seedling and Sapling to the Project Site	5-6
Plate 5.1.2	Example of Nursery for the Project	5-10
Plate 5.1.3	Example of Watch Tower	5-11
Plate 5.4.1	Example of Logging Track	5-23
Plate 5.4.2	Existing Log Yard	5-24
Plate 5.4.2	Example of Bridge from logs	5-29
Plate 5.4.3	Cover Crops for Soil Conservation Measure Establish at Forest Plantation	5-31
Plate 5.4.4	Example of Animal Trench	5-33
Plate 7.2.1	Example “No Burning” Signage	7-17
Plate 8.2.1	Example Perimeter Drain at the Project Site	8-6
Plate 8.2.2	Pre-construction Action	8-7
Plate 8.2.3	Example of Stabilized Access Road With Crusher Run to The Project Site	8-8
Plate 8.2.4	Example of Road Side Drain	8-8
Plate 8.2.5	Example of Riparian Buffer Zone	8-9
Plate 8.2.6	Example of Riparian Reserved	8-10
Plate 8.2.7	Example of Brush Barrier BMPs (biomass) application locally in a land development project	8-12
Plate 8.2.8	Mulching BMPs application locally in a land development project	8-13
Plate 8.2.9	Example of Preservation of Top Soil Area at Project Site	8-14
Plate 8.2.10	Example of Biomass Stacking at the Project Site	8-14
Plate 8.2.11	Example of Leguminous Cover Crops (LCC)	8-15
Plate 8.2.12	Example of Water Browser is used to reduce the dust pollution during construction	8-17
Plate 8.2.13	Example of Check Dam	8-22
Plate 8.2.14	Example of Culvert	8-22

Plate 8.2.15	Sediment Basin	8-24
Plate 8.2.16	Sediment Trap	8-25
Plate 8.2.17	Example of Sediment Basin at valley area	8-27
Plate 8.2.18	Sediment Marker	8-28
Plate 8.3.1	Example of Recycling Bins	8-33
Plate 8.3.2	Example of Bunghole Plastic Drum (Left) and Open Top Steel Drum with Cover and Clamp (Right)	8-36
Plate 8.4.1	Example of Temporary Portable Toilet & Septic Tank	8-38
Plate 8.4.2	Example of Skid/Storage Tank on Stable Ground	8-40
Plate 8.6.1	Proper Personal Protective Equipment (PPE) during Working Hours	8-45
Plate 8.7.1	Offence & Penalty for Wildlife Trapping or Hunting	8-47
Plate 8.7.2	No Hunting Signage	8-47
Plate 8.7.3	Example of Warning Sign for Wildlife Poaching	8-48
Plate 8.7.4	Example of Permanent Guard House	8-48
Plate 8.7.5	Example of Animal Trench	8-50
Plate 8.9.1	<i>Clitoria ternate</i>	8-55
Plate 8.9.2	<i>Desmodium triflorum</i>	8-55
Plate 8.9.3	<i>Cassia sp.</i>	8-56
Plate 8.9.4	Example of Signages Prohibition in Forest	8-59
Plate 9.6.1	Example of Improper Storage of Scheduled Waste at the Edge of Slope	9-24
Plate 9.6.2	Example of Proper Storage of Scheduled Waste Labelling of Scheduled Wastes	9-25
Plate 9.6.3	Storage Tanks for Waste Oil. The Capacity of the Containment Should be 110% of the Largest Containers Stored	9-26
Plate 9.8.1	Example of Signage for Tapir	9-30
Plate 9.10.1	Example of Signage of Government Emergency Phone List	9-37

LIST OF APPENDICES

APPENDIX 1	Permit from Jabatan Perhutanan Negeri Perak
APPENDIX 2	Authorized Letter
APPENDIX 3	List of Other Legal Requirements
APPENDIX 4	Rancangan Tempatan Daerah (RTD)
APPENDIX 5	Generator Set Form to Doe
APPENDIX 6	Soil Suitability Report
APPENDIX 7	Soil Calculation
APPENDIX 8	Hydrology Calculation
APPENDIX 9	Certificate of Water Quality, Air Quality & Noise Level
APPENDIX 10	Questionnaire
APPENDIX 11	LD-P2M2 Report
APPENDIX 12	Guidelines for Packaging Labelling and Storage of Scheduled Waste
APPENDIX 13	Letter from Lembaga Air Perak (LAP)
APPENDIX 14	Consent Letter

ATTACHMENT

ATTACHMENT 1 LD-P2M2 DRAWING (OVERALL)